



Cold  
Spring  
Harbor  
Laboratory

# Advanced Sequencing Technologies & Applications

<http://meetings.cshl.edu/courses.html>




Cold  
Spring  
Harbor  
Laboratory

## RNA-Seq Module 2 Alignment and Visualization (lecture)

Kelsy Cotto, Obi Griffith, Malachi Griffith,  
Alex Wagner, Jason Walker

Advanced Sequencing Technologies & Applications  
November 6- 18, 2018



# Learning objectives of the course

- Module 1: Introduction to RNA Sequencing
- **Module 2: Alignment and Visualization**
- Module 3: Expression and Differential Expression
- Module 4: Alignment Free Expression Estimation
- Module 5: Isoform Discovery and Alternative Expression
  
- Tutorials
  - Provide a working example of an RNA-seq analysis pipeline
  - Run in a ‘reasonable’ amount of time with modest computer resources
  - Self contained, self explanatory, portable

# Learning objectives of module 2

- RNA-seq alignment challenges and common questions
- Alignment strategies
- HISAT2
- Introduction to the BAM and BED formats
- Basic manipulation of BAMs
- Visualization of RNA-seq alignments in IGV
- Alignment QC Assessment
- BAM read counting and determination of variant allele expression status

# RNA-seq alignment challenges

- Computational cost
  - 100's of millions of reads
- Introns!
  - Spliced vs. unspliced alignments
- Can I just align my data once using one approach and be done with it?
  - Unfortunately probably not
- Is HISAT2 the only mapper to consider for RNA-seq data?
  - <http://www.biostars.org/p/60478/>

# Three RNA-seq mapping strategies

## De novo assembly




Assemble transcripts from overlapping tags



Optional: align to genome to get exon structure

## Align to transcriptome



Use known and/or predicted gene models to examine individual features

## Align to reference genome




Infer possible transcripts and abundance

Diagrams from Cloonan & Grimmond, Nature Methods 2010

# Which alignment strategy is best?

- De novo assembly
  - If a reference genome does not exist for the species being studied
  - If complex polymorphisms/mutations/haplotypes might be missed by comparing to the reference genome
- Align to transcriptome
  - If you have short reads (< 50bp)
- Align to reference genome
  - All other cases
- Each strategy involves different alignment/assembly tools

# Which read aligner should I use?




[http://wwwdev.ebi.ac.uk/fg/hts\\_mappers/](http://wwwdev.ebi.ac.uk/fg/hts_mappers/)



# Should I use a splice-aware or unspliced mapper


- RNA-seq reads may span large introns
- The fragments being sequenced in RNA-seq represent mRNA and therefore the introns are removed
- But we are usually aligning these reads back to the reference genome
- Unless your reads are short (<50bp) you should use a splice-aware aligner
  - HISAT2, STAR, MapSplice, etc.

## Double-stranded genomic DNA template




Transcription and polyadenylation

## Single-stranded pre-mRNA (nuclear RNA)





RNA processing

## Mature mRNA



# HISAT/HISAT2



- HISAT is a 'splice-aware' RNA-seq read aligner
- Requires a reference genome
- Very fast
- Uses an indexing scheme based on the Burrows-Wheeler transform and the Ferragina-Manzini (FM) index
- Multiple types of indexes for alignment
  - a whole-genome FM index to anchor each alignment
  - numerous local FM indexes for very rapid extensions of these alignments.
  - Whole-genome indices with SNPs and known transcript structures accounted for



Kim et al. 2015. Nat Methods 12:357–360






# HISAT/HISAT2

- Uses hierarchical indexing algorithm and several adaptive strategies, based on the position of a read with respect to splice sites
- First tries to find candidate locations across the target genome from which the read may have originated by mapping part of each read using the global FM index, which in most cases identifies one or a small number of candidates.
- Then selects one of ~48,000 local indexes for each candidate and uses it to align the remainder of the read.
- For paired reads, each mate is separately aligned and the alignments of both mates are combined.
  - If a read fails to align, then the alignments of its mate are used as anchors to map the unaligned mate




Kim et al. 2015. Nat Methods 12:357–360

# HISAT/HISAT2





- First align read with global index (slower)
- Once at least 28bp and exactly one location switch to extension mode against reference genome (faster)

# HISAT/HISAT2





Local FM index for chr22 from 24,417,280 to 24,482,559




- Again use global search until exactly one match of at least 28bp (slower)
- Extend as before until mismatch at 93bp (faster)
- Switch to local FM index to align remaining 8bp
  - Because the index covers only a small region, in this case we find just one match for the 8-bp segment.
- Check for compatibility and combine into single spliced alignment

# HISAT/HISAT2



- Again use global search until exactly one match of at least 28bp (slower)
- Extend as before until mismatch at 51bp (faster)
- Switch to local FM index to align first 8bp of remaining read
  - If too many matches increase prefix size
- Extend again
- Check for compatibility and combine into single spliced alignment



# Should I allow 'multi-mapped' reads?

- Depends on the application
- In \*DNA\* analysis it is common to use a mapper to randomly select alignments from a series of equally good alignments
- In \*RNA\* analysis this is less common
  - Perhaps disallow multi-mapped reads if you are variant calling
  - Definitely should allow multi-mapped reads for expression analysis with Cufflinks (and StringTie?)
  - Definitely should allow multi-mapped reads for gene fusion discovery

# What is the output of HISAT2?

- A SAM/BAM file
  - SAM stands for Sequence Alignment/Map format
  - BAM is the binary version of a SAM file
- Remember, compressed files require special handling compared to plain text files
- How can I convert BAM to SAM?
  - <http://www.biostars.org/p/1701/>





# Introduction to the SAM/BAM format

- The specification
  - <http://samtools.sourceforge.net/SAM1.pdf>
- The SAM format consists of two sections:
  - Header section
    - Used to describe source of data, reference sequence, method of alignment, etc.
  - Alignment section
    - Used to describe the read, quality of the read, and nature alignment of the read to a region of the genome
- BAM is a compressed version of SAM
  - Compressed using lossless BGZF format
  - Other BAM compression strategies are a subject of research. See ‘CRAM’ format for example
- BAM files are usually ‘indexed’
  - A ‘.bai’ file will be found beside the ‘.bam’ file
  - Indexing aims to achieve fast retrieval of alignments overlapping a specified region without going through the whole alignments. BAM must be sorted by the reference ID and then the leftmost coordinate before indexing

# SAM/BAM header section

- Used to describe source of data, reference sequence, method of alignment, etc.
- Each section begins with character '@' followed by a two-letter record type code. These are followed by two-letter tags and values
  - @HD The header line
    - VN: format version
    - SO: Sorting order of alignments
  - @SQ Reference sequence dictionary
    - SN: reference sequence name
    - LN: reference sequence length
    - SP: species
  - @RG Read group
    - ID: read group identifier
    - CN: name of sequencing center
    - SM: sample name
  - @PG Program
    - PN: program name
    - VN: program version



# SAM/BAM flags explained

- <http://broadinstitute.github.io/picard/explain-flags.html>
- 12 bitwise flags describing the alignment
- These flags are stored as a binary string of length 11 instead of 11 columns of data
- Value of '1' indicates the flag is set. e.g. 00100000000
- All combinations can be represented as a number from 1 to 2048 (i.e.  $2^{11}-1$ ). This number is used in the BAM/SAM file. You can specify 'required' or 'filter' flags in samtools view using the '-f' and '-F' options respectively

Bit	Description
1	0x1 template having multiple segments in sequencing
2	0x2 each segment properly aligned according to the aligner
4	0x4 segment unmapped
8	0x8 next segment in the template unmapped
16	0x10 SEQ being reverse complemented
32	0x20 SEQ of the next segment in the template being reverse complemented
64	0x40 the first segment in the template
128	0x80 the last segment in the template
256	0x100 secondary alignment
512	0x200 not passing filters, such as platform/vendor quality controls
1024	0x400 PCR or optical duplicate
2048	0x800 supplementary alignment

Note that to maximize confusion, each bit is described in the SAM specification using its hexadecimal representation (i.e., '0x10' = 16 and '0x40' = 64).

# CIGAR strings explained

Op	BAM	Description
M	0	alignment match (can be a sequence match or mismatch)
I	1	insertion to the reference
D	2	deletion from the reference
N	3	skipped region from the reference
S	4	soft clipping (clipped sequences present in SEQ)
H	5	hard clipping (clipped sequences NOT present in SEQ)
P	6	padding (silent deletion from padded reference)
=	7	sequence match
X	8	sequence mismatch

- The CIGAR string is a sequence of base lengths and associated ‘operations’ that are used to indicate which bases align to the reference (either a match or mismatch), are deleted, are inserted, represent introns, etc.
- e.g. 81M859N19M
  - A 100 bp read consists of: 81 bases of alignment to reference, 859 bases skipped (an intron), 19 bases of alignment

# Introduction to the BED format

- When working with BAM files, it is very common to want to examine a focused subset of the reference genome
  - e.g. the exons of a gene
- These subsets are commonly specified in 'BED' files
  - <https://genome.ucsc.edu/FAQ/FAQformat.html#format1>
- Many BAM manipulation tools accept regions of interest in BED format
- Basic BED format (tab separated):
  - Chromosome name, start position, end position
  - Coordinates in BED format are 0 based

# Manipulation of SAM/BAM and BED files


- Several tools are used ubiquitously in sequence analysis to manipulate these files
- SAM/BAM files
  - samtools
  - bamtools
  - picard
- BED files
  - bedtools
  - bedops



# How should I sort my SAM/BAM file?

- Generally BAM files are sorted by position
  - This is for performance reasons
    - When sorted and indexed, arbitrary positions in a massive BAM file can be accessed rapidly
- Certain tools require a BAM sorted by read name
  - Usually this is when we need to easily identify both reads of a pair
    - The insert size between two reads may be large
    - In fusion detection we are interested in read pairs that map to different chromosomes...

# Visualization of RNA-seq alignments in IGV browser



# Alternative viewers to IGV


- Alternative viewers to IGV
  - <http://www.biostars.org/p/12752/>
  - <http://www.biostars.org/p/71300/>
- Artemis, BamView, Chipster, gbrowse2, GenoViewer, MagicViewer, **Savant**, Tablet, tview

# Alignment QC Assessment

- 3' and 5' Bias
- Nucleotide Content
- Base/Read Quality
- PCR Artifact
- Sequencing Depth
- Base Distribution
- Insert Size Distribution


# Alignment QC: 3' & 5' Bias

BED file




Take 100 quantiles from each transcripts in BED file

BAM file



Extract coverage signals from BAM file



<http://rseqc.sourceforge.net/>

# Alignment QC: Nucleotide Content

- **Random primers** are used to reverse transcribe RNA fragments into double-stranded complementary DNA (dscDNA)
- Causes certain patterns to be over represented at the beginning (5' end) of reads
- Deviation from expected  $A\%=C\%$   
 $\%=G\%=T\%=25\%$

Journal List > Nucleic Acids Res > v.38(12); 2010 Jul > PMC2896536

Nucleic Acids Research


Nucleic Acids Res. 2010 Jul; 38(12): e131.  
Published online 2010 Apr 14. doi: [10.1093/nar/gkq224](https://doi.org/10.1093/nar/gkq224)

## Biases in Illumina transcriptome sequencing caused by random hexamer priming

Kasper D. Hansen,<sup>1,\*</sup> Steven E. Brenner,<sup>2</sup> and Sandrine Dudoit<sup>1,3</sup>

[Author information](#) ▶ [Article notes](#) ▶ [Copyright and License information](#) ▶


This article has been [cited by](#) other articles in PMC.



<http://rseqc.sourceforge.net/>


# Alignment QC: Quality Distribution

- Phred quality score is widely used to characterize the quality of base-calling
- Phred quality score =  $-10 \times \log_{10}(P)$ , here P is probability that base-calling is wrong
- Phred score of 30 means there is 1/1000 chance that the base-calling is wrong
- The quality of the bases tend to drop at the end of the read, a pattern observed in sequencing by synthesis techniques



# Alignment QC: PCR Duplication

- Duplicate reads are reads that have the same start/end positions and same exact sequence
- In DNA-seq, reads/start point is used as a metric to assess PCR duplication rate
- In DNA-seq, duplicate reads are collapsed using tools such as picard
- How is RNA-seq different from DNA-seq?




<http://rseqc.sourceforge.net/>




# Alignment QC: Sequencing Depth


- **Have we sequenced deep enough?**
- In DNA-seq, we can determine this by looking at the average coverage over the sequenced region. Is it above a certain threshold?
- In RNA-seq, this is a challenge due to the variability in gene abundance
- Use splice junctions detection rate as a way to identify desired sequencing depth
- Check for saturation by resampling 5%, 10%, 15%, ..., 95% of total alignments from aligned file, and then detect splice junctions from each subset and compare to reference gene model.
- This method ensures that you have sufficient coverage to perform alternative splicing analyses



# Alignment QC: Base Distribution





Whole Transcriptome Library



PolyA mRNA library


- Your sequenced bases distribution will depend on the library preparation protocol selected

# Alignment QC: Insert Size



<http://thegenomefactory.blogspot.ca/2013/08/paired-end-read-confusion-library.html>

# Alignment QC: Insert Size



Consistent with library size selection?


# BAM read counting and variant allele expression status



- A variant C->T is observed in 12 of 25 reads covering this position. Variant allele frequency (VAF)  $12/25 = 48\%$ .
- Both alleles appear to be expressed equally (not always the case) -> heterozygous, no allele specific expression
- How can we determine variant read counts, depth of coverage, and VAF without manually viewing in IGV?

# **Introduction to tutorial (Module 2)**

# Bowtie/Tophat/Cufflinks/Cuffdiff RNA-seq Pipeline



We are on a Coffee Break &  
Networking Session